

# PageSpeed Insights

## Mobile



**67 / 100** Speed

**!** Should Fix:

### Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- [http://nara-miel.ru/index\\_files/15let\\_firstpage.jpg](http://nara-miel.ru/index_files/15let_firstpage.jpg) (expiration not specified)
- [http://nara-miel.ru/index\\_files/des1.jpg](http://nara-miel.ru/index_files/des1.jpg) (expiration not specified)
- [http://nara-miel.ru/index\\_files/des2.jpg](http://nara-miel.ru/index_files/des2.jpg) (expiration not specified)
- [http://nara-miel.ru/index\\_files/des5.jpg](http://nara-miel.ru/index_files/des5.jpg) (expiration not specified)
- [http://nara-miel.ru/index\\_files/elinks.gif](http://nara-miel.ru/index_files/elinks.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/freehand.css](http://nara-miel.ru/index_files/freehand.css) (expiration not specified)

## Mobile

- [http://nara-miel.ru/index\\_files/k\\_email.gif](http://nara-miel.ru/index_files/k_email.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/k\\_home.gif](http://nara-miel.ru/index_files/k_home.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/k\\_map.gif](http://nara-miel.ru/index_files/k_map.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/karta\\_nfr.gif](http://nara-miel.ru/index_files/karta_nfr.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/kniga.gif](http://nara-miel.ru/index_files/kniga.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/new.css](http://nara-miel.ru/index_files/new.css) (expiration not specified)
- [http://nara-miel.ru/index\\_files/null.gif](http://nara-miel.ru/index_files/null.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/of\\_est.gif](http://nara-miel.ru/index_files/of_est.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/predesban1.gif](http://nara-miel.ru/index_files/predesban1.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/read\\_str2.gif](http://nara-miel.ru/index_files/read_str2.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/space.gif](http://nara-miel.ru/index_files/space.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/t.gif](http://nara-miel.ru/index_files/t.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/t\\_00.gif](http://nara-miel.ru/index_files/t_00.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/topmenu.css](http://nara-miel.ru/index_files/topmenu.css) (expiration not specified)
- [http://nara-miel.ru/index\\_files/zero.gif](http://nara-miel.ru/index_files/zero.gif) (expiration not specified)
- [http://nara-miel.ru/logo\\_anstn.gif](http://nara-miel.ru/logo_anstn.gif) (expiration not specified)
- <http://www.nara-miel.ru/estate/sd135x100.jpg> (expiration not specified)
- <http://www.nara-miel.ru/estate/taunhouse135x100.jpg> (expiration not specified)

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 3 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- [http://nara-miel.ru/index\\_files/freehand.css](http://nara-miel.ru/index_files/freehand.css)

## Mobile

- [http://nara-miel.ru/index\\_files/topmenu.css](http://nara-miel.ru/index_files/topmenu.css)
- [http://nara-miel.ru/index\\_files/new.css](http://nara-miel.ru/index_files/new.css)

### ! Consider Fixing:

## Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 58.6KiB (83% reduction).

- Compressing [http://nara-miel.ru/index\\_files/new.css](http://nara-miel.ru/index_files/new.css) could save 32.7KiB (89% reduction).
- Compressing <http://nara-miel.ru/> could save 20.1KiB (76% reduction).
- Compressing [http://nara-miel.ru/index\\_files/freehand.css](http://nara-miel.ru/index_files/freehand.css) could save 5.2KiB (83% reduction).
- Compressing [http://nara-miel.ru/index\\_files/topmenu.css](http://nara-miel.ru/index_files/topmenu.css) could save 531B (57% reduction).

## Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 5.4KiB (13% reduction).

- Minifying [http://nara-miel.ru/index\\_files/new.css](http://nara-miel.ru/index_files/new.css) could save 4.3KiB (12% reduction).
- Minifying [http://nara-miel.ru/index\\_files/freehand.css](http://nara-miel.ru/index_files/freehand.css) could save 939B (15% reduction).
- Minifying [http://nara-miel.ru/index\\_files/topmenu.css](http://nara-miel.ru/index_files/topmenu.css) could save 135B (15% reduction).

# Mobile

## Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 6.8KiB (26% reduction).

- Minifying <http://nara-miel.ru/> could save 6.8KiB (26% reduction).

## Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 1.2KiB (17% reduction).

- Compressing <http://www.nara-miel.ru/estate/taunhouse135x100.jpg> could save 1KiB (16% reduction).
- Compressing [http://nara-miel.ru/index\\_files/elinks.gif](http://nara-miel.ru/index_files/elinks.gif) could save 125B (27% reduction).



4 Passed Rules

## Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

## Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

# Mobile

## Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

## Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

## 62 / 100 User Experience

### ! Should Fix:

## Configure the viewport

Your page does not have a viewport specified. This causes mobile devices to render your page as it would appear on a desktop browser, scaling it down to fit on a mobile screen. Configure a viewport to allow your page to render properly on all devices.

[Configure a viewport](#) for this page.

## Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<a href="http://www.nar...php?vrub=town" class="tmnuMain">o Hapo-Фоминске</a>` and 1 others are close to other tap targets final.
- The tap target `<a href="http://www.nara-miel.ru/"></a>` and 2 others are close to other tap targets final.

## Mobile

- The tap target <a href="http://www.nar...php?vrub=order"></a> and 3 others are close to other tap targets final.
- The tap target <a href="http://www.nar...php?vrub=order">Оставить...заявку</a> and 4 others are close to other tap targets final.
- The tap target <a href="http://dolina-imeniy.ru/">Подробнее на сайте</a> is close to 1 other tap targets final.
- The tap target <a href="http://www.nar...=cont&lang=rus">Почтовый адрес:</a> is close to 1 other tap targets final.
- The tap target <a href="http://www.nar....php?vrub=flat">Продажа квартир</a> and 6 others are close to other tap targets final.
- The tap target <a href="http://kuchuko...timization.htm">Поисковое продвижение сайта</a> and 1 others are close to other tap targets final.
- The tap target <a href="http://www.liv...ernet.ru/click"></a> is close to 1 other tap targets final.

## Use legible font sizes

The following text on your page renders in a way that may be difficult for some of your visitors to read. [Use legible font sizes](#) to provide a better user experience.

The following text fragments have a small font size. Increase the font size to make them more legible.

- Агентство недв...Наро-Фоминска and 1 others render only 5 pixels tall (12 CSS pixels) final.
- Коттеджи, дома, дачи and 5 others render only 5 pixels tall (12 CSS pixels) final.
- Услуги агентства недвижимости and 3 others render only 5 pixels tall (12 CSS pixels) final.
- Таунхаусы в Наро-Фоминске and 3 others render only 4 pixels tall (11 CSS pixels) final.
- 55км. от МКАД...ега реки Нара. and 5 others render only 4 pixels tall (11 CSS pixels) final.
- Подробнее на сайте and 1 others render only 4 pixels tall (11 CSS pixels) final.
- Недвижимость Н...инского района renders only 5 pixels tall (12 CSS pixels) final.
- Продажа кварти...Наро-Фоминске and 3 others render only 5 pixels tall (12 CSS pixels) final.

## Mobile

- Агентство недв...тровых планов. and 3 others render only 5 pixels tall (12 CSS pixels) final.
- Почтовый адрес: renders only 6 pixels tall (15 CSS pixels) final.
- 143300. Москов....6-6, офис 26а renders only 6 pixels tall (15 CSS pixels) final.
- Портал недвижимости and 10 others render only 4 pixels tall (11 CSS pixels) final.
- | and 7 others render only 4 pixels tall (11 CSS pixels) final.
- Полезная информация renders only 3 pixels tall (9 CSS pixels) final.
- Поисковое продвижение сайта and 1 others render only 3 pixels tall (9 CSS pixels) final.
- - РА Столичная Недвижимость and 1 others render only 3 pixels tall (9 CSS pixels) final.
- тел. (495) 514...минском районе and 3 others render only 3 pixels tall (9 CSS pixels) final.
- Агентство недв...Наро-Фоминска and 1 others render only 3 pixels tall (9 CSS pixels) final.

## ! Consider Fixing:

### Avoid plugins

Your page uses plugins, which prevents portions of your page from being used on many platforms. [Find alternatives for plugin based content](#) to increase compatibility.

Find alternatives for the following Flash plugins.


- [http://nara-miel.ru/index\\_files/kolesiki.swf](http://nara-miel.ru/index_files/kolesiki.swf) (50 x 16) final.
- [http://nara-miel.ru/index\\_files/clock.swf](http://nara-miel.ru/index_files/clock.swf) (100 x 12) final.

## ✓ 1 Passed Rules

### Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

## Mobile



## Desktop



79 / 100 Speed

! Should Fix:

### Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- [http://nara-miel.ru/index\\_files/15let\\_firstpage.jpg](http://nara-miel.ru/index_files/15let_firstpage.jpg) (expiration not specified)
- [http://nara-miel.ru/index\\_files/des1.jpg](http://nara-miel.ru/index_files/des1.jpg) (expiration not specified)
- [http://nara-miel.ru/index\\_files/des2.jpg](http://nara-miel.ru/index_files/des2.jpg) (expiration not specified)
- [http://nara-miel.ru/index\\_files/des5.jpg](http://nara-miel.ru/index_files/des5.jpg) (expiration not specified)
- [http://nara-miel.ru/index\\_files/elinks.gif](http://nara-miel.ru/index_files/elinks.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/freehand.css](http://nara-miel.ru/index_files/freehand.css) (expiration not specified)
- [http://nara-miel.ru/index\\_files/k\\_email.gif](http://nara-miel.ru/index_files/k_email.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/k\\_home.gif](http://nara-miel.ru/index_files/k_home.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/k\\_map.gif](http://nara-miel.ru/index_files/k_map.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/karta\\_nfr.gif](http://nara-miel.ru/index_files/karta_nfr.gif) (expiration not specified)

## Desktop

- [http://nara-miel.ru/index\\_files/kniga.gif](http://nara-miel.ru/index_files/kniga.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/new.css](http://nara-miel.ru/index_files/new.css) (expiration not specified)
- [http://nara-miel.ru/index\\_files/null.gif](http://nara-miel.ru/index_files/null.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/of\\_est.gif](http://nara-miel.ru/index_files/of_est.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/predesban1.gif](http://nara-miel.ru/index_files/predesban1.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/read\\_str2.gif](http://nara-miel.ru/index_files/read_str2.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/space.gif](http://nara-miel.ru/index_files/space.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/t.gif](http://nara-miel.ru/index_files/t.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/t\\_00.gif](http://nara-miel.ru/index_files/t_00.gif) (expiration not specified)
- [http://nara-miel.ru/index\\_files/topmenu.css](http://nara-miel.ru/index_files/topmenu.css) (expiration not specified)
- [http://nara-miel.ru/index\\_files/zero.gif](http://nara-miel.ru/index_files/zero.gif) (expiration not specified)
- [http://nara-miel.ru/logo\\_anstn.gif](http://nara-miel.ru/logo_anstn.gif) (expiration not specified)
- <http://www.nara-miel.ru/estate/sd135x100.jpg> (expiration not specified)
- <http://www.nara-miel.ru/estate/taunhouse135x100.jpg> (expiration not specified)

### Consider Fixing:

#### Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 58.6KiB (83% reduction).

- Compressing [http://nara-miel.ru/index\\_files/new.css](http://nara-miel.ru/index_files/new.css) could save 32.7KiB (89% reduction).
- Compressing <http://nara-miel.ru/> could save 20.1KiB (76% reduction).
- Compressing [http://nara-miel.ru/index\\_files/freehand.css](http://nara-miel.ru/index_files/freehand.css) could save 5.2KiB (83% reduction).
- Compressing [http://nara-miel.ru/index\\_files/topmenu.css](http://nara-miel.ru/index_files/topmenu.css) could save 531B (57% reduction).

## Desktop

### Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 5.4KiB (13% reduction).

- Minifying [http://nara-miel.ru/index\\_files/new.css](http://nara-miel.ru/index_files/new.css) could save 4.3KiB (12% reduction).
- Minifying [http://nara-miel.ru/index\\_files/freehand.css](http://nara-miel.ru/index_files/freehand.css) could save 939B (15% reduction).
- Minifying [http://nara-miel.ru/index\\_files/topmenu.css](http://nara-miel.ru/index_files/topmenu.css) could save 135B (15% reduction).

### Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 6.8KiB (26% reduction).

- Minifying <http://nara-miel.ru/> could save 6.8KiB (26% reduction).

### Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 3 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- [http://nara-miel.ru/index\\_files/freehand.css](http://nara-miel.ru/index_files/freehand.css)

## Desktop

- [http://nara-miel.ru/index\\_files/topmenu.css](http://nara-miel.ru/index_files/topmenu.css)
- [http://nara-miel.ru/index\\_files/new.css](http://nara-miel.ru/index_files/new.css)

## Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 1.2KiB (17% reduction).

- Compressing <http://www.nara-miel.ru/estate/taunhouse135x100.jpg> could save 1KiB (16% reduction).
- Compressing [http://nara-miel.ru/index\\_files/elinks.gif](http://nara-miel.ru/index_files/elinks.gif) could save 125B (27% reduction).



## 4 Passed Rules

## Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

## Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

## Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

## Prioritize visible content

## Desktop

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).